CLINICAL CASE



7-year follow-up of a central maxillary incisor restoration

Roberto Villa Italy



Dr. Roberto Villa

Case description

7-year follow-up of a central maxillary incisor restoration

Patient

Female patient 19 years old

Implant

NobelReplace® CC RF 4.3x13 mm

Surgery date October 2nd, 2011

Tooth position Tooth 11 Patient missing a central incisor due to trauma. Restored with a NobelReplace® CC implant using a flapped approach with soft tissue grafting to attain optimal esthetic results. At 7-year follow-up, bone levels and soft tissue health have been maintained.





Surgical procedure

Outcome



Loss of central incisor after trauma.

Surgical procedure

Outcome



Initial clinical situation before implant placement.

Surgical procedure


Outcome



Placement of NobelReplace[®] Conical Connection implant.

Surgical procedure


Outcome



Surgical site with soft tissue graft and healing abutment in place.

Surgical procedure

Outcome



X-ray following implant insertion and temporary restoration.

Temporary restoration.



Surgical procedure

Outcome



X-ray of implant and final restoration 5 months after surgery.

Surgical procedure

Outcome



Clinical view 1 year after implant insertion exhibits excellent soft tissue outcomes.



X-ray 1 year after insertion

Surgical procedure

Outcome



1 year follow-up

Surgical procedure

Outcome



X-ray after 3 years of follow-up



X-ray after 5 years of follow-up

Surgical procedure


Outcome



Clinical situation after 7 years of follow-up showing excellent papilla

Surgical procedure

Outcome



X-ray after 7 years of follow-up showing healthy bone levels



Facial view and smile line after 7 years of follow-up

Case courtesy of Dr. Roberto Villa



GMT 63175 1906 GB © Nobel Biocare Services AG, 2019. All rights reserved. Nobel Biocare, the Nobel Biocare logotype and all other trademarks are, if nothing else is stated or is evident from the context in a certain case, trademarks of Nobel Biocare. Please refer to nobelbiocare.com/trademarks for more information. Product images are not necessarily to scale. Disclaimer: Some products may not be regulatory cleared/released for sale in all markets. Please contact the local Nobel Biocare sales office for current product assortment and availability. For prescription use only. Caution: Federal (United States) law restricts this device to sale by or on the order of a licensed clinician, medical professional or physician. See Instructions For Use for full prescribing information, including indications, contraindications, warnings and precautions. Nobel Biocare does not take any liability for any injury or damage to any person or property arising from the use of this clinical case. This clinical case is not intended to recommend any measures, techniques, procedures or products, or give advice, and is not a substitute for medical training or your own clinical judgement as a healthcare professional. Viewers should never disreared professional medical davice or delay seeking medical treatment because of something they have seen in this clinical case. Full procedure is not shown. Certain sequences have been cut.